

Autoridade Bancária e de Pagamentos de Timor-Leste
Banking and Payments Authority of Timor-Leste

Av^a Bispo Medeiros, PO Box 59, Dili, Timor Leste
Telp. No (670) 3313718, Fax. No (670) 3313716

INVITATION TO BID (ITB)
RFQ No: BPA-11.016
SUPPLY OF IT HARDWARE AND EQUIPMENTS

The Banking and Payments Authority of Timor-Leste is soliciting competitive bids from interested and qualified suppliers for supply of I.T hardware Equipments. This invitation "Request for Quotation (RFQ) is part of the BPA Procurement committee process in order to fulfill a good Institution requirement for the transparency and accountability manners.

REQUIREMENTS

1. This RFQ shall be conducted as following the procedure, wherein the technical proposal submitting a sealed envelope
2. RFQ shall remain valid for a period of 30 (thirty) days after the bid submission date of 25 march, 2011
3. The vendor interested shall be taking the RFQ directly at Procurement Division
4. RFQ should be marked "confidential" and submission of sealed bids shall be delivery directly to the Tender Box located at BPA office (Front Desk) no later than 4.00pm on March 17th to 25th 2011.
5. The interested vendor's should state clear the full name, address, telephone, email Address and name of the principal contact or representative.
6. The interested vendor's shall provide a copy of its business registration, tax details, certidao Devidas as legalized including company profile.
7. The Interested vendor's shall offer the standard limited manufacture service warranty.

Requisition of I.T equipments were rank as follow:

- Scanner HP Scanjet N8460
- Cisco Switch 48 port
- Battery replacement for APC symmetra UPS 4 Kva Battery Module
- PC Computer HP Compaq dc 5800
- Microsoft office 2007 License (15 License)
- Windows 2008 R2 OS (Software+License)
- HP Proliant DL380 G7 X5680-6C-2P

For more details please consult with BPA during office working hours to assess and collect all necessary information of "Tender bid Documents" as needed. Should you have any further questions please do not hesitate to contact office Telephone: 3313718.the BPA-Procurement Division Exit: 105.

Yours Sincerely;



Tomas Soares Gusmao
Procurement Manager, BPA

- Copy: 1. Administration.
2. Procurement file

Authoridade Bancária e de Pagamentos de Timor-Leste
Banking and Payments Authority of Timor-Leste

Avenida Bispo Medeiros, PO Box 59, Dili, Timor-Leste
Telp.No (670) 3313718, Fax.No. (670) 3313716

REQUEST FOR QUOTATION No. RFQ BPA – 11.016

The Banking and Payments Authority of Timor-Leste (hereinafter referred to BPA) hereby solicits your quotation for the items listed in Requirement sheet. Early delivery will be of paramount importance.

REQUIREMENT

You are kindly requested to submit your quotation by facsimile to no. + 670 3313 716, or hand delivery to BPA attention (Tomas Soares Gusmao) before close of business (March 25, 2011).

Description	Quantity	Unit	Unit Price	Total Price
1.Sisco Switch (specification see attach)	1	Unit		
2APC Symmetry 4 Kva Battery (replacement) (specification see attach)	4	unit		
3. Scanner HP Scanjet N8460 (specification see attach)	1	Unit		
4. PC Computer HP Compaq dc 5800 (specification see attach)	10	unit		
5. Microsoft office 2007 License (15 License) (specification see attach)	15	Unit		
6. Windows 2008 R2 OS (Software+License) (specification see attach)	1	unit		
7. HP Proliant DL 380 G7 X680-6C-2P (Server) (specification see attach)	2	unit		

In addition to price your Quotation should include following information:

Delivery date (after receipt of order) _____

Payment terms (discounts) _____

In addition to price your Quotation should include following information:

Delivery date (after receipt of order) _____

Payment terms (discounts) _____

Validity of Quotation (30 days from offer) _____

Name of Authorized Representative: _____

Signature: _____

Title: _____

Name & Address of

Vendor: _____

Telephone No: (_____) Facsimile No: (_____)

INSTRUCTION TO VENDORS:

The deadline for submission of the bids under this RFQ is March 25, 2011

Quotations and correspondence must be in the English Language only. Submission on other language will be not considered. Quotation may be submitted in hard copy or facsimile to the following address:

Banking and Payments Authority of Timor Leste
Procurement Division
Av^a Bispo Madeira, PO BOX 59 Dili Timor Leste
Dili, Timor-Leste

Telp: + (670) 3313718 Fax: + (670) 3313 716

All quotations must include the following:

- Unit and total price in USD for the items listed in the requirement sheet.
- Discounts, if any, to be noted separately with a clear notation whether they are valid for partial order or complete orders
- Specify the brand names proposed and statement of compliance with the attached
- Delivery charges and terms of delivery to Dili
- Delivery date

Changes substitutions or other alterations to the technical specifications in the requirements stipulated in this RFQ will be not accepted unless approved in writing by the BPA.

This RFQ contains no contractual offer of any kind. Any quotation submitted will be regarded as a firm quotation made by the vendor.

No contractual relationship will exit except pursuant to a written purchase order or contract document signed by a BPA's duly authorized official from the procurement Division.

This RFQ does not commit the BPA to consider any quotation or to award a purchase order or contract. The BPA may accept any or all quotation in whole or in part.

All quotations will be evaluated in accordance with the provisions of the BPA Regulations as well as the requirements of this Request for Quotation. The following criteria will be considered in evaluating the quotations:

- Lowest price offered;
- compliance with technical requirement;
- delivery time offered;
- discounts offered;
- warranty offered
- Technical support after warranty period

The BPA preclude advance payments and payments by letter of credit, except in special circumstances. Such provisions in a quotation will be prejudicial to its evaluation by the BPA.

Your quotation shall remain open and valid for no less than 30 days from the date of closing indicated in this Request for Quotation.

BPA reserves the right to split an award between any vendors in any combination as it may deem appropriate.

Any award resulting from this Request for Quotation will be subject to the BPA General Conditions for Contracts for purchase of goods as attached.

Payment will be made by bank transfer within 30 days upon our Satisfactory Receipt and Inspection Report and submission of your invoice to Procurement division.

Queries

Queries arising from this RFQ should be directed to director of Administration.

Yours sincerely



(Tomas Soares Gusmao)
Procurement Manager, BPA

IT Equipments Specifications for Budget FY 2010-2011

I. HP ScanJet N8460 Document Scanner



HP ScanJet N8460 Document Scanner Specifications Part # L2690A#B1H

Manufacturer	HP
Device Type	Sheetfed Document Scanner
Manufacturer Part #	L2690A#B1H
Scanner	Type Document Scanner
	Scanning Element CCD
	Scan Resolution 600 dpi x 600 dpi (Optical)
	Max. Scan Area 8.5" x 34"
	Scanning Speed 70 ipm 35 ppm
	Color Depth 48-bit
	Grayscale Depth 8-bit
Connectivity	Interface Hi-Speed USB
Paper Handling	Document Feeding Mode Autoload
	Media Types Supported Paper (plain, inkjet, photo), envelopes, cards (index, greeting), 3-D objects
	Max Supported Media Size 8.5" x 34"
	Feeder Capacity 100 sheets
Software	HP Smart Document Scan Software, ScanSoft PaperPort, IRIS Readiris Pro OCR, Kofax VirtualReScan, EMC ISIS/Twain drivers, EMC QuickScan Pro Demo
Power Requirements	Voltage 100 to 240 V (±10%) 50/60 Hz (±3%)
	Consumption 80 watts maximum

Operating Conditions	Temperature 41 - 104°F
	Humidity 15 - 85%
Dimensions (W x H x D)	Unit 24.61" x 10.43" x 16.34"
Weight	Unit 33 lbs
System Requirements	PC Windows Vista, XP Home, XP Professional, XP Professional x64, 2000
	Mac n/a
Warranty	One Year Limited
Includes in the Box	HP Scanjet N8460 Document Scanner ADF Hi-Speed USB cable Power cord ADF cleaning cloth Setup and Support Guide Customizable button label CD-ROM(s) includes software for Windows: HP Smart Document Scan Software, ScanSoft PaperPort, IRIS Readiris Pro OCR, Kofax VirtualReScan, EMC ISIS/Twain drivers, EMC QuickScan Pro Demo

II. CISCO SWITCH 48 PORTS

CISCO CATALYST 3750 - 48TS - 48 PORTS (WS-C3750-48TS-S)



III. HP Compaq Business Desktop DC5800



General

- **Type** : Personal computer
- **Windows Vista Certification** : Windows 7
- **Recommended Use** : Small business, corporate business
- **Product Form Factor** : Small form factor
- **Built-in Devices** : Speaker
- **Embedded Security** : Trusted Platform Module (TPM 1.2) Security Chip
- **Width** : 33.8 cm
- **Depth** : 37.9 cm
- **Height** : 10 cm
- **Weight** : 8.1 kg
- **Localisation** : English / United States

Processor

- **Type** : Intel Core 2 Duo E8400 / 3 GHz
- **Multi-Core Technology** : Dual-Core
- **64-bit Computing** : Yes
- **Installed Qty** : 1
- **Max Supported Qty** : 1
- **Upgradability** : Upgradable

Cache Memory

- **Type** : L2 Cache
- **Installed Size** : 6 MB
- **Cache Per Processor** : 6 MB

Mainboard

- **Chipset Type** : Intel Q33 Express
- **Data Bus Speed** : 1333 MHz

RAM

- **Installed Size** : 2 GB / 8 GB (max)
- **Technology** : DDR2 SDRAM - non-ECC
- **Memory Speed** : 800 MHz
- **Memory Specification Compliance:** PC2-6400
- **Form Factor** : DIMM 240-pin
- **Features** : Dual channel memory architecture
- **Configuration Features** : 2 x 1 GB

Storage Controller

- **Type** : 1 x Serial ATA - integrated
- **Controller Interface Type** : Serial ATA-300

Storage Controller (2nd)

- **Type** : IDE - integrated
- **Hard Drive** : 1 x 80 GB - standard - Serial ATA-300 - 7200 rpm - Native Command Queuing (NCQ)

Optical Storage

- **Type** : CD-RW / DVD-ROM combo - Serial ATA
- **Read Speed** : 48x (CD) / 16x (DVD)
- **Write Speed** : 48x
- **CD / DVD Rewrite Speed** : 32x

Monitor

- **Monitor Type** : HP COMPAQ LCD MONITOR– W1707.

Graphics Controller

- **Graphics Processor / Vendor** Intel GMA 3100 Dynamic Video Memory Technology 4.0
- **Max Allocated RAM Size** 256 MB
- **Audio Output**
- **Type** Sound card - integrated
- **Sound Output Mode** Stereo
- **Compliant Standards** High Definition Audio

Input Device

- **Type** Mouse, keyboard
- **Keyboard**
- **Keyboard Name** HP Standard Keyboard
- **Interface** PS/2
- **Mouse**
- **Technology** Optical
- **Interface** PS/2
- **Features** Scroll

Networking

- **Networking** Network adapter - PCI Express x1 - integrated
- **Ethernet Controller(s)** Intel 82566DM
- **Data Link Protocol** Ethernet, Fast Ethernet, Gigabit Ethernet
- **Remote Management Protocol** DMI 2.0
- **Features** Wake on LAN (WoL)
- **Compliant Standards** IEEE 802.2, IEEE 802.3, IEEE 802.3u, IEEE 802.1Q, IEEE 802.3ab, IEEE 802.1p, IEEE 802.3x

Expansion / Connectivity

- **Expansion Bays Total (Free)** 1 (0) x front accessible - 5.25" x 1/2H ; 1 (1) x front accessible - 3.5" x 1/3H ; 1 (0) x internal - 3.5" x 1/3H
- **Expansion Slots Total (Free)** 4 (2) x memory - DIMM 240-pin ; 1 (1) x PCI - low-profile ; 2 (2) x PCI Express x1 - full-height ; 1 (1) x PCI Express x16 - low-profile ; 1 (0) x processor - LGA775 Socket
- **Interfaces** 8 x Hi-Speed USB - 4 PIN USB Type A (2 front, 6 rear) ; 1 x audio - line-in/microphone - mini-phone stereo 3.5 mm ; 1 x audio - line-out - mini-phone stereo 3.5 mm ; 1 x headphones - output - mini-phone stereo 3.5 mm (1 in front) ; 1 x microphone - input - mini-phone stereo 3.5 mm (1 in front) ; 1 x mouse - generic - 6 pin mini-DIN (PS/2 style) ; 1 x keyboard - generic - 6 pin mini-DIN (PS/2 style) ; 1 x network - Ethernet 10Base-T/100Base-TX/1000Base-T - RJ-45 ; 1 x serial - RS-232 - 9 pin D-Sub (DB-9) ; 1 x display / video - VGA - 15 pin HD D-Sub (HD-15) ; 1 x parallel - IEEE 1284 (EPP/ECP) - 25 pin D-Sub (DB-25)

Miscellaneous

- **Features** Security lock slot (cable lock sold separately), administrator password, power-on password, Power Factor Correction (PFC), memory change alert
- **Compliant Standards** ACPI, Green Mark

Power

- **Device Type** Power supply
- **Voltage Required** AC 120/230 V (50/60 Hz)
- **Power Provided** 240 Watt
- Operating System / Software
- **OS Provided** Microsoft Windows Vista Business / XP Professional downgrade
- **OS Preinstalled** Windows Vista
- **Microsoft Office Preloaded** Includes a preinstalled image of select 2007 Microsoft Office suites. Purchase a Medialess Licence Kit (MLK) to activate the software.

Environmental Standards

- **EPEAT Compliant** EPEAT Gold
- **ENERGY STAR Qualified** Yes
- Manufacturer Warranty
- **Service & Support** 3 years warranty
- **Service & Support Details** Limited warranty - parts and labour - 3 years - on-site - response time: next business day

Environmental Parameters

- **Min Operating Temperature** 10 °C
- **Max Operating Temperature** 35 °C
- **Humidity Range Operating** 10 - 90%

IV. Microsoft Office 2007 License (15 License)



V. Windows 2008 R2 OS (1 Software + License)

WinSrvEnt 2008R2 SNGL OLP NL (P72-04219)



VI. HP ProLiant DL380 G7 X5680 6C (2P)



General Information

Manufacturer : Hewlett-Packard

Manufacturer Website Address : hp.com

Product Line : ProLiant

Product Name : ProLiant DL380 G7 Server

QuickSpecs	
See detailed specs	US QuickSpecs » html » pdf
Processor	
Processor family	Intel® Xeon® 5600 series
Processor name	Intel® Xeon® X5680 (6 core, 3.33 GHz, 12MB L3, 130W)
Number of processors	2
Processor core available	6 or 4 or 2
Memory	
Maximum memory	192 GB
Standard Memory	24 GB
Memory slots	18 DIMM slots
Memory type	PC3-10600R RDIMMs DDR3 or PC3-10600E UDIMMs DDR3
I/O	
Expansion slots	6
Network Controller	(2) 1GbE NC382i Multifunction 2 Ports
Storage	
Maximum drive bays	(16) SFF SAS/SATA with optional second drive cage
Supported drives	Hot plug 2.5-inch SAS Hot plug 2.5-inch SATA Hot plug 3.5-inch SAS Hot plug 3.5-inch SATA
Storage Controller	(1) Smart Array P410i Integrated ((1) <i>Smart Array P410i/1GB FBWC</i>)
Hard Drive Installed	8 HDD with 72GB/each
Deployment	
Form Factor (fully configured)	2U
Infrastructure management	Insight Control with iLO Advanced (iLO 3)
Power Supply	(2) 750 Watt hot plug

Interfaces/Ports

Ports : 1 x 9-pin DB-9 Serial

Ports: 1 x iLO Remote Management

Ports : 1 x Keyboard

Ports : 1 x Mouse

Ports : 1 x VGA Front

Ports : 1 x VGA Rear

Ports : 2 x 4-pin Type A USB 2.0 - USB Front

Ports : 2 x 4-pin Type A USB 2.0 - USB Rear

Ports : 2 x RJ-45 Network

Display & Graphics

Graphics Controller : ATi ES1000 32MB Integrated

Network & Communication

Network : NC373i Gigabit Ethernet IEEE 802.3ab

Physical Characteristics

Case Style : 2U Rack

Dimensions : 3.38" Height x 17.54" Width x 26.01", Depth - (with feet/bezel)

VII. UPS Symmetra 4 KVa Battery Module

